

FIG. 1





FIG. 2

1025a



(b)

210	
MANUFACTURER IDENTIFICATION INFORMATION	TYPE IDENTIFICATION INFORMATION
AA COMPANY	SDRAM/DDR
NUMBER-OF-DEVICES INFORMATION	MEMORY BANK INFORMATION
8	ONE SIDE

FIG. 3

1015

MEMORY ATTRIBUTE INFORMATION					MEMORY ATTACHMENT POSITION INFORMATION		DATA TRANSFER RATE SETTING VALUE CANDIDATE	
MANUFACTURER IDENTIFICATION INFORMATION	NUMBER-OF-DEVICES INFORMATION	MEMORY BANK INFORMATION	TYPE IDENTIFICATION INFORMATION				UPPER LIMIT TEMPERATURE	
							90°C	80°C
AA COMPANY	8	ONE SIDE	SDRAM/DDR		MEMORY SLOT	1020a	70%	66%
	16	BOTH SIDES	SDRAM/DDR		MEMORY SLOT	1020b	75%	71%
	8	ONE SIDE	SDRAM/DDR		MEMORY SLOT	1020a	68%	64%
	16	BOTH SIDES	SDRAM/DDR		MEMORY SLOT	1020b	73%	69%
BB COMPANY	8	ONE SIDE	SDRAM/DDR		MEMORY SLOT	1020a	68%	64%
	16	BOTH SIDES	SDRAM/DDR		MEMORY SLOT	1020b	73%	69%
	8	ONE SIDE	SDRAM/DDR		MEMORY SLOT	1020a	66%	62%
	16	BOTH SIDES	SDRAM/DDR		MEMORY SLOT	1020b	71%	67%
		ONE SIDE	SDRAM/SDR		MEMORY SLOT	1020a	70%	66%
					MEMORY SLOT	1020b	75%	71%

FIG. 4

